

# Tobacco Prevention Community Partnership Snapshot — FY 2016

## Community Health Partners



Executive Director, Deb Vander Plas  
211 Central Ave SE, Orange City 51041

Contact for tobacco prevention:  
Shay Davis  
shay.davis@siouxcountychp.org


### Population and Funding

#### Population served:

Lyon: 11,683  
Obrien: 14,056  
Osceola: 6,218  
Plymouth: 24,874  
Sioux: 34,681

#### FY 2016 funding total:

\$73,641



Iowa Department of Public Health  
Division of Tobacco Use Prevention and Control

Division Director:  
Jerilyn Oshel

321 E. 12th Street  
Des Moines IA 50319  
515-281-6225  
<http://idph.iowa.gov/tupac/>

### Tobacco Related-Disease Burden age-adjusted rate/100,000 population

County	Death rate				Hospitalization rate	
	cancer	heart disease	stroke	COPD/emphysema	COPD/emphysema	asthma
Lyon	138.9	161.9	42.5	28.4	84.2	28.9
O'Brien	156.4	133.4	31.3	31.5	122.4	80.5
Osceola	163	163.6	65.7	unreliable	81.2	32.5
Plymouth	176.8	142.4	22.1	34.1	127.6	56.7
Sioux	155	125.5	31.5	28.4	116.6	116.6
State of Iowa	167.7	172.9	35.0	46.9	176.8	77

### Adult cigarette smoking prevalence

IA Behavioral Risk Factor Surveillance System 2006-12

Lyon: 17% (10.5% - 26.2%)

O'Brien: 9.4% (3.7% - 15.1%) (2011-14 average)

Osceola: 21.8% (6.8% - 36.8%) (2011-14 average)

Plymouth: 14% (9.9% - 19.7%)

Sioux: 12% (8.8% - 15.8%)

State of Iowa (2014): 18.5%

### Youth any tobacco use prevalence

Iowa Youth Survey, 2014

Lyon: 16.0%

Obrien: 12.6%

Osceola: 14.9%

Plymouth: 13.5%

Sioux: 15.2%

State of Iowa: 18.1%



Population counts are based on 2014 estimates from the U.S. Census Bureau. Adult prevalence estimates are self-reported rates and confidence intervals of rates of cigarette smoking in Iowans 18 and older, average annual rate. Youth rates are self-reported tobacco use rates in 11th grade students. Less than half of 11th grade students in these counties participated in the survey: Boone, Butler, Clarke, Dallas, Des Moines, Fremont, Keokuk, Jasper, Lee, Mahaska, Polk, Poweshiek, Washington and Wayne. In many cases, the percentages shown here for counties with low participation rates will reflect closely their actual rates. Any youth tobacco use includes e-cigarette use. \*At least 5% of all county inpatient records are missing. Deaths are from 2010-14 for COPD and stroke and, 2012-14 for heart disease and cancer. Hospitalizations are from 2009-11.

