

IOWA PRENATAL CARE BARRIERS PROJECT

DATA FROM 2018 SURVEYS

2018 Respondents from All Hospitals in Iowa: 20,035
 2018 Respondents with Babies Born in **Adair County: 186**

Demographic Indicators	State	County
Mother's Age		
Less than 18 years	01%	01%
18-19 years	03%	04%
20-25 years	24%	31%
26-30 years	37%	36%
31-35 years	26%	20%
More than 35 years	09%	07%
Mother's Ethnicity		
Hispanic	08%	02%
Non-Hispanic	92%	98%
White	90%	97%
Black	06%	02%
Asian or Pacific Islander	03%	01%
American Indian or Native Alaskan	01%	01%
Socioeconomic Indicators		
Mother's Education		
Less than high school	07%	09%
High school	21%	32%
Some college	33%	36%
College graduate (Bachelor's degree)	27%	20%
Graduate school	12%	03%
Household Income		
Less than \$10,000	11%	16%
\$10,000 - \$19,999	08%	08%
\$20,000 - \$29,999	09%	14%
\$30,000 - \$39,999	08%	10%
\$40,000 - \$49,999	08%	11%
\$50,000 or more	56%	40%
Information Received in 12 Months Prior to Becoming Pregnant		
Doctor, Nurse, or Other Health Care Provider Talked About:		
Taking folic acid or a multivitamin	46%	40%
Smoking	35%	29%
Drinking alcohol	32%	22%
Your weight	29%	28%
Regular exercise	33%	27%
How romantic relationships affect your health	14%	09%
Oral health	21%	19%
Did not see a doctor, nurse, or other health care professional for a check-up in the 12 months prior to becoming pregnant	33%	40%

Behavioral Indicators During Pregnancy	State	County
No Birth Control was Used at Time of Conception	87%	84%
Unintended Pregnancy and Did NOT Use Birth Control	70%	67%
Plan to return to work outside of home following birth of this baby		
Yes	74%	77%
No	26%	23%
Does worksite have designated room/location (not counting bathroom stalls) for mothers to breastfeed or pump/express their breast milk		
Yes	55%	49%
No	28%	29%
Don't Know	17%	22%
Does worksite have written policy about breastfeeding?		
Yes	22%	18%
No	28%	27%
Don't Know	50%	54%
Smoked within the past 2 years		
Yes	21%	35%
No	79%	65%
Cigarettes Smoked Per Day During Last 3 Months of Pregnancy		
Zero cigarettes per day	53%	38%
1-10 per day	41%	56%
11-20 per day	06%	05%
More than 20 per day	01%	02%
Consumed alcohol in the past 2 years		
Yes	70%	67%
No	29%	33%
Alcoholic Drinks During Last 3 Months of Pregnancy		
Zero drinks per week	98%	97%
1 -2 drinks per week	02%	02%
3-5 drinks per week	<01%	<01%
6-10 drinks per week	<01%	<01%
More than 10 drinks per week	<01%	01%
Prenatal Care	State	County
Mother received prenatal care as early in the pregnancy as wanted		
Yes	95%	95%
No	05%	05%
Where mother went for <u>most</u> of prenatal care		
Private doctor's office, clinic or OBGYN	78%	78%
Midwife's office or home office from a midwife	07%	05%
Public clinic	15%	16%
Other	01%	01%

	State	County
HIV/AIDS Testing During Pregnancy		
Yes	45%	49%
No	28%	23%
No, Testing was offered, but did not want to be tested	02%	01%
Don't know	26%	27%
Received Flu Shot During Pregnancy		
Yes	65%	63%
No, Received flu shot before became pregnant	06%	05%
No, Did not want flu shot during pregnancy	12%	09%
No, Doctor said to wait until after pregnancy	01%	02%
No, Do not ever get flu shots	13%	19%
No, Flu shot was not available	02%	02%
Hospital Services		
Hospital Staff Encouraged Breastfeeding During First 24 Hours After Birth of the Baby		
Yes	85%	82%
No	13%	16%
Don't remember	02%	02%
During Pregnancy or Time at the Hospital, a Doctor, Nurse, or Other Healthcare Professional Provided Information or Scheduled a Time to Discuss:		
Breastfeeding or breastfeeding techniques	83%	75%
Action steps to decrease frustration when infant cries	43%	45%
How to lay the baby down to sleep	56%	56%
Dangers of shaking an infant	40%	43%
Did not receive any information and have not scheduled a time to discuss	08%	11%

Technical Note: Because percentages were rounded, the sum of values may not equal 100%.

For more information: Call the University of Northern Iowa Center for Social & Behavioral Research: (319) 273-2105.

Data source: Iowa Barriers to Prenatal Care Project, Iowa Department of Public Health, University of Northern Iowa Center for Social & Behavioral Research: 2018 Data.